

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	236	opcod\$3 near3 map\$3	USPAT; IBM_TDB	OR	OFF	2008/07/14 15:13
L2	128	L1 and dynamic\$4	USPAT; IBM_TDB	OR	OFF	2008/07/14 15:13
L3	123	L2 and instruction \$1	USPAT; IBM_TDB	OR	OFF	2008/07/14 15:13
L4	8	L1 and (dynamic \$4 near3 set\$4)	USPAT; IBM_TDB	OR	OFF	2008/07/14 15:13
L5	8	L4 and instruction \$1	USPAT; IBM_TDB	OR	OFF	2008/07/14 15:13
L6	227	(dynamic\$4 near3 set\$4 near4 instruct\$4)	USPAT; IBM_TDB	OR	OFF	2008/07/14 15:13
L7	2	L5 and encod\$3	USPAT; IBM_TDB	OR	OFF	2008/07/14 15:13
L8	2	L4 and encod\$3	USPAT; IBM_TDB	OR	OFF	2008/07/14 15:13
L9	36	L6 and ((instruction\$1 near3 map\$3) L1)	USPAT; IBM_TDB	OR	OFF	2008/07/14 15:13
L10	17	L9 and (instruction \$1 near3 encod\$3)	USPAT; IBM_TDB	OR	OFF	2008/07/14 15:13
L11	11	L10 and (privilege \$1 permission\$1 rule\$1 polic\$3)	USPAT; IBM_TDB	OR	OFF	2008/07/14 15:13
L12	0	L11 and (boot\$5 boot-up)	USPAT; IBM_TDB	OR	OFF	2008/07/14 15:13
L13	100	(select\$8) near3 ((instruction\$1 near3 map\$3) L1)	USPAT; IBM_TDB	OR	OFF	2008/07/14 15:13
L14	123	(dynamic\$4 near3 set\$4) and ((instruction\$1 near3 map\$3) L1)	USPAT; IBM_TDB	OR	OFF	2008/07/14 15:13
L15	3	L14 and L13	USPAT; IBM_TDB	OR	OFF	2008/07/14 15:13
L16	5141	(cycle\$1 period\$8 time\$1) near3 (boot\$5 boot-up)	USPAT; IBM_TDB	OR	OFF	2008/07/14 15:13

L17	53	L16 and ((instruction\$1 near3 map\$3) L1)	USPAT; IBM_TDB	OR	OFF	2008/07/14 15:13
L18	20	L17 and (instruction\$1 near6 encod\$3)	USPAT; IBM_TDB	OR	OFF	2008/07/14 15:13
L19	63	L2 and (instruction\$1 near3 map\$3)	USPAT; IBM_TDB	OR	OFF	2008/07/14 15:13
L20	121	(instruction\$1 near3 map\$3) and (dynamic\$4 near3 set\$4)	USPAT; IBM_TDB	OR	OFF	2008/07/14 15:13
L21	0	L10 and (authori\$8 authentic\$9)	USPAT; IBM_TDB	OR	OFF	2008/07/14 15:13
L22	2	L15 and (privilege\$1 permission\$1 rule\$1 polic\$3)	USPAT; IBM_TDB	OR	OFF	2008/07/14 15:13
L23	37	L14 and (instruction\$1 near3 encod\$3)	USPAT; IBM_TDB	OR	OFF	2008/07/14 15:13
L24	22	L23 and (privilege\$1 permission\$1 rule\$1 polic\$3)	USPAT; IBM_TDB	OR	OFF	2008/07/14 15:13
L25	19	L24 and ((determin\$7 select\$8) near3 (instruction\$1 map\$3))	USPAT; IBM_TDB	OR	OFF	2008/07/14 15:13
L26	1	L24 and (boot\$5 boot-up)	USPAT; IBM_TDB	OR	OFF	2008/07/14 15:13
L27	19	L18 and ((determin\$7 select\$8) near3 (instruction\$1 map\$3))	USPAT; IBM_TDB	OR	OFF	2008/07/14 15:13
L28	1	L18 and (privilege\$1 permission\$1 rule\$1 polic\$3)	USPAT; IBM_TDB	OR	OFF	2008/07/14 15:13
L29	23	L17 and (privilege\$1 permission\$1 rule\$1 polic\$3)	USPAT; IBM_TDB	OR	OFF	2008/07/14 15:13
L30	22	L29 and (encrypt\$4 crypto\$9 algorithm\$1 encod\$3)	USPAT; IBM_TDB	OR	OFF	2008/07/14 15:13
L31	45	L17 and (encrypt\$4 crypto\$9 algorithm\$1 encod\$3)	USPAT; IBM_TDB	OR	OFF	2008/07/14 15:13

L32	22	L31 and (privilege \$1 permission\$1 rule\$1 polic\$3)	USPAT; IBM_TDB	OR	OFF	2008/07/14 15:13
L33	12209	((713/1) or (713/2) or (713/150) or (713/152) or (713/154) or (713/165) or (713/167) or (713/182) or (713/185) or (713/187) or (713/189) or (713/190) or (713/193) or (709/202) or (726/1) or (726/2) or (726/6) or (726/13) or (726/19) or (726/22) or (726/27) or (726/30) or (380/37) or (380/239) or (380/255) or (380/42) or (380/29) or (711/204) or (711/206)).CCLS.	USPAT; IBM_TDB	OR	OFF	2008/07/14 15:13
L34	658	L33 and (dynamic \$4 near3 (set\$4 instruct\$4 opcode\$3 code\$1))	USPAT; IBM_TDB	OR	OFF	2008/07/14 15:13
L35	967	L33 and (dynamic \$4 near7 (set\$4 instruct\$4 opcode\$3 code\$1))	USPAT; IBM_TDB	OR	OFF	2008/07/14 15:13
L36	358	L35 and (encod\$3)	USPAT; IBM_TDB	OR	OFF	2008/07/14 15:13

L37	78986	(instruction\$1 opcod\$3 code\$1 encod\$3) near5 (privilege\$1 permission\$1 authori\$9 access verif\$9 authentic \$6 encrypt\$5 encipher\$9 crypto \$9 certif\$9)	USPAT; IBM_TDB	OR	OFF	2008/07/14 15:13
L38	16754	(instruction\$1 opcod\$3 code\$1 encod\$3) near5 map\$3	USPAT; IBM_TDB	OR	OFF	2008/07/14 15:13
L39	55	L36 and L38	USPAT; IBM_TDB	OR	OFF	2008/07/14 15:13
L40	28	L39 and ((privilege \$1 permission\$1 authori\$9 access) near3 level\$1)	USPAT; IBM_TDB	OR	OFF	2008/07/14 15:13
L41	1769	(select\$4 determin \$7 predetermin\$6 elect\$3 appoint\$3 pre-determin\$6 pre-select\$4 prestor\$3 pre-stor \$3) near6 L38	USPAT; IBM_TDB	OR	OFF	2008/07/14 15:13
L42	2	L39 and (serial\$1 number\$1) and (boot\$6 near4 (cycle\$1 period\$1 time\$1))	USPAT; IBM_TDB	OR	OFF	2008/07/14 15:13
L43	212	((serial\$1 machine \$1 device\$1 hardware\$1) near5 (id identif\$8 number\$1)) SAME ((boot booting bootup boot-up preboot\$3 pre-boot \$3 bios) near5 (time\$1 cycle\$1 period\$1))	USPAT; IBM_TDB	OR	OFF	2008/07/14 15:13
L44	4	L43 and L38	USPAT; IBM_TDB	OR	OFF	2008/07/14 15:13

L45	107	L33 and ((boot booting bootup boot-up preboot\$3 pre-boot\$3 bios) near5 cycle\$1)	USPAT; IBM_TDB	OR	OFF	2008/07/14 15:13
L46	13	L45 and L38	USPAT; IBM_TDB	OR	OFF	2008/07/14 15:13
L47	9	((serial\$1 machine \$1 device\$1 hardware\$1) near5 (id identif\$8 number\$1)) and L46	USPAT; IBM_TDB	OR	OFF	2008/07/14 15:13
L48	2	L42 and (serial\$1 number\$1) and (boot\$6 cycle\$1 period\$1 time\$1)	USPAT; IBM_TDB	OR	OFF	2008/07/14 15:13
L49	255	L33 and L38 and L37	USPAT; IBM_TDB	OR	OFF	2008/07/14 15:13
L50	155	L49 and dynamic \$5	USPAT; IBM_TDB	OR	OFF	2008/07/14 15:13
L51	148	L50 and (privilege \$1 permission\$1 authori\$9 level\$1)	USPAT; IBM_TDB	OR	OFF	2008/07/14 15:13
L52	61	L50 and ((privilege \$1 permission\$1 authori\$9 access) near3 level\$1)	USPAT; IBM_TDB	OR	OFF	2008/07/14 15:13
L53	3	L51 and (serial\$1 near3 number\$1) and (boot\$6 near3 (cycle\$1 period\$1 time\$1))	USPAT; IBM_TDB	OR	OFF	2008/07/14 15:13
L54	1	((serial\$1 machine \$1 device\$1 hardware\$1) near3 (id identif\$8 number\$1)) with (boot\$6 near3 cycle\$1)	USPAT; IBM_TDB	OR	OFF	2008/07/14 15:13
L55	70	((serial\$1 machine \$1 device\$1 hardware\$1) near3 (id identif\$8 number\$1)) and (boot\$6 adj3 cycle \$1)	USPAT; IBM_TDB	OR	OFF	2008/07/14 15:13

L56	1828	((serial\$1 machine\$1 device\$1 hardware\$1) near3 (id identif\$8 number\$1)) and ((boot booting bootup boot-up preboot\$3 pre-boot\$3 bios) near3 (time\$1 cycle\$1 period\$1))	USPAT; IBM_TDB	OR	OFF	2008/07/14 15:13
L57	1	L55 and L41	USPAT; IBM_TDB	OR	OFF	2008/07/14 15:13
L58	3	L56 and L41	USPAT; IBM_TDB	OR	OFF	2008/07/14 15:13
L59	54	((serial\$1 machine\$1 device\$1 hardware\$1) near5 (id identif\$8 number\$1)) with ((boot booting bootup boot-up preboot\$3 pre-boot\$3 bios) near5 (time\$1 cycle\$1 period\$1))	USPAT; IBM_TDB	OR	OFF	2008/07/14 15:13
L60	2	L38 with ((boot booting bootup boot-up preboot\$3 pre-boot\$3 bios) near5 (time\$1 cycle\$1 period\$1))	USPAT; IBM_TDB	OR	OFF	2008/07/14 15:13
L61	1	((serial\$1 machine\$1 device\$1 hardware\$1) near5 (id identif\$8 number\$1)) and L60	USPAT; IBM_TDB	OR	OFF	2008/07/14 15:13
L62	14	Gordon near3 mcintosh	USPAT; IBM_TDB	OR	OFF	2008/07/14 15:13
L63	11	L62 and (map\$3 remap\$3)	USPAT; IBM_TDB	OR	OFF	2008/07/14 15:13
L64	0	L63 and (encrypt\$9 encipher\$9 crypto\$9 cipher\$9 algorithm\$1)	USPAT; IBM_TDB	OR	OFF	2008/07/14 15:13

L65	474	(encrypt\$9 encipher\$9 crypto \$9 cipher\$9 algorithm\$1) near9 (boot booting bootup boot-up preboot\$3 pre-boot\$3 bios reboot\$4 re-boot \$4)	USPAT; IBM_TDB	OR	OFF	2008/07/14 15:13
L66	14788	(instruction\$1 opcod\$3 code\$1) with (dynamic\$4 automatic\$6 concurrent\$4 immediat\$4) with (map\$3 remap\$4 re-map\$4 creat\$4 generat\$4 new)	USPAT; IBM_TDB	OR	OFF	2008/07/14 15:13
L67	172	(instruction\$1 opcod\$3 code\$1) with (dynamic\$4 automatic\$6 concurrent\$4 immediat\$4) with (map\$3 remap\$4 re-map\$4) with (creat\$4 generat \$4 new\$2)	USPAT; IBM_TDB	OR	OFF	2008/07/14 15:13
L68	7	L65 and L66	USPAT; IBM_TDB	OR	OFF	2008/07/14 15:13
L69	399	(instruction\$1 opcod\$3 code\$1) near9 (dynamic\$4 automatic\$6 concurrent\$4 immediat\$4) near9 (map\$3 remap\$4 re-map \$4)	USPAT; IBM_TDB	OR	OFF	2008/07/14 15:13
L70	127687	(instruction\$1 opcod\$3 code\$1) near5 (creat\$4 generat\$4 new\$2)	USPAT; IBM_TDB	OR	OFF	2008/07/14 15:13
L71	280	L69 and L70	USPAT; IBM_TDB	OR	OFF	2008/07/14 15:13

L72	2192	(encrypt\$9 encipher\$9 crypto\$9 cipher\$9 algorithm\$1) near\$9 (reset\$4 re-set\$4 boot booting bootup boot-up preboot\$3 pre-boot\$3 bios reboot\$4 re-boot\$4)	USPAT; IBM_TDB	OR	OFF	2008/07/14 15:13
L73	2	L71 and L72	USPAT; IBM_TDB	OR	OFF	2008/07/14 15:13
L74	45	(((((instruction\$1 opcod\$3 code\$1) near\$5 (creat\$4 generat\$4 new\$2)) ((instruction\$1 opcod\$3 code\$1) near\$8 (dynamic\$4 automatic\$6 concurrent\$4 immediat\$4))) with (map\$3 remap\$4 re-map\$4) with (encrypt\$9 encipher\$9 crypto\$9 cipher\$9 algorithm\$1)	USPAT; IBM_TDB	OR	OFF	2008/07/14 15:13
L75	44	L74 and L70	USPAT; IBM_TDB	OR	OFF	2008/07/14 15:13
L76	20379	(instruction\$1 opcod\$3 code\$1 dynamic\$4 automatic\$6 concurrent\$4 immediat\$4) near\$6 (map\$3 remap\$4 re-map\$4)	USPAT; IBM_TDB	OR	OFF	2008/07/14 15:13
L77	36	L75 and L76	USPAT; IBM_TDB	OR	OFF	2008/07/14 15:13
L78	8	L77 and (reset\$4 re-set\$4 boot booting bootup boot-up preboot\$3 pre-boot\$3 bios reboot\$4 re-boot\$4)	USPAT; IBM_TDB	OR	OFF	2008/07/14 15:13

L80	0	(opcode\$1 and decod\$3 and map \$1 and reboot\$3 and trust\$2 and code\$1).clm.	US-PGPUB	OR	ON	2008/07/14 15:38
L81	0	(opcode\$1 and decod\$3 and map \$1 and reboot\$3). clm.	US-PGPUB	OR	ON	2008/07/14 15:39

7/14/08 3:39:19 PM

C:\Documents and Settings\LHa\My Documents\EAST\Workspaces\10782672.wsp